

1 Litre Rectangular Food Packaging Container

RECTANGULAR SERIES



Container

| | |
|-------------------------------|---|
| Product code | Tub: MP-1.2RCTCRC Lid: MP-LID1.2RCTCRC |
| Description | 1 litre rectangular tub and lid |
| Brimful volume | 1,400 ml |
| ISO volume | 1,270 ml |
| Tamper evident | Yes |
| Material | Polypropylene (tub & lid) |
| Dim (length x width x height) | 191 x 129 x 73mm |
| Weight | Tub 37.1 grams / lid 12.7 grams |

Performance

| | |
|----------------------------|--------------------------|
| Standard temperature | 0°C to 40°C |
| Hot fill temperature | 40°C to 85°C * |
| Cold fill temperature | -20°C to 0°C * |
| Shelf life | 12 months after delivery |
| Static load on bottom pail | Maximum 12 Kg at 20°C ** |

Decoration

| | |
|---------|----------------------------------|
| Tub IML | Yes |
| Lid IML | Yes |
| Colours | White (other colours on request) |

Palletisation

| | |
|-------------------------|----------------------|
| Tub quantity per pallet | 5,760 |
| Tub units per box | 288 |
| Pallet size | 1200 x 1000 x 2162mm |
| Lid quantity per pallet | 13,680 |
| Lid units per box | 912 |
| Pallet size | 1200 x 1000 x 1314mm |

Compatibility

Some chemicals, and process parameters, can affect the integrity of the container. The buyer must undertake testing and approval for the container's suitability for the product or application.

Regulatory

Products are manufactured in a BRC and are compliant to 1935/2004, 2023/2006 and 10/2011 legislations.

Manufactured in 100% FOOD GRADE RECYCLED MATERIAL

*Special blends and additives are available for non-standard conditions.

**Stacking relies on various factors, data is for indication only

Standard tolerances +/- 5%



Manufacturers and Distributors of high quality plastic containers to the commercial sector

Metaplast Ltd

Unit A1, Ground Floor, Meridian House
Meridian Business Park, Norwich NR7 0TA

Tel: +44 (0)1508 495342

sales@metaplast.co.uk

www.metaplast.co.uk

While every care has been taken to ensure that product specifications are accurate, they are given for guidance only. For uses where specification is critical, customers are advised to check with Metaplast prior to purchase. We reserve the right to amend product specifications without prior notice.